

VECTOR SURVEILLANCE IN NEW JERSEY

EEE, WNV, SLE, LAC, DENV, CHIK, ZIKV, and JCV

Prepared by Lisa M. Reed and Dina Fonseca

Center for Vector Biology, Rutgers University

9 August to 15 August, 2020, CDC Week 33

Data download 2:00 pm 17 August



This New Jersey Agricultural Experiment Station report is supported by Rutgers University, Hatch funds, funding from the NJ State Mosquito Control Commission and with the participation of the Department of Health, Department of Agriculture and of the 21 county mosquito control agencies of New Jersey. Data is held in JerseySurv, a subset of the CalSurv system.

NOTE: County/species tables for arboviruses are now in a supplemental file [here](#)

Arbovirus Summary

- In 2020, there are two positive EEE pools in *Culiseta melanura*.
- There are 62 positive WNV pools, in *Culex Mix* (61) and *Aedes albopictus* (1).
- There are six positive JVC pools in *Aedes cantator* (2), *Aedes taeniorhynchus* (1), *Anopheles quadrimaculatus* (1) and *Coquillettidia perturbans* (2).
- There are no horse arboviruses cases reported.
- There is 1 human WNV case in Essex County.
- Note: Data download times are noted and do not necessarily reflect all pools submitted and analyzed to that point in time. This report may vary from other reports from the same dataset as they are all snapshots in time.

Culiseta melanura and Eastern Equine Encephalitis

SITE/Boxes	Inland or Coastal	Historic Population Mean	Current Weekly Mean	Total Tested* (Collected)	Total Pools Tested* (Submitted)	EEE Isolation Pools	MFIR
Bass River (Burlington Co.)/5	Coastal	0.31	0.00	4	1		
Green Bank (Burlington Co.)/25	Coastal	4.30	0.04	5 (6)	3 (4)		
Corbin City (Atlantic Co.)/25	Coastal	1.34	0.64	117 [‡] (133)	10 (11)	1	5.847
Dennisville (Cape May Co.)/50	Coastal	5.48	0.04	2	1		
Winslow (Camden Co.)/50	Inland	1.83	0.26	13 [‡]	1		
Centerton (Salem Co.)/43	Inland	3.34	0.05	2	1		
Turkey Swamp (Monmouth Co.)/50	Inland	1.60	0.02	12 (13)	8 (9)		
Glassboro (Gloucester Co.)/50	Inland	0.31	0.16	20	5		

*Current week (in parentheses) results pending. [‡] corrected from previous week NC=No Collection NR=Not Recorded

Remarks: Currently two positive EEE pools have been detected, collected in a pool of *Culiseta melanura* at the Corbin City traditional resting box site on 17 June and in Burlington County 10 August.

Statewide, 2,982 *Cs. melanura* from 294 pools have been tested, with an overall *Cs. melanura* MFIR of 0.671. 100,823 specimens in 3504 pools from 39 other species have also been tested, with no positive pools detected. Overall MFIR for all species statewide is 0.019.


Traditional Resting Box Sites: 175 *Cs. melanura* from 30 pools has been tested, with one positive pool at Corbin City, collected 17 June. Three pools with 18 mosquitoes are pending. Overall MFIR at the traditional resting box site is 5.714.

Additional <i>Cs. melanura</i> trapped by counties *traps with positives indicated in BOLD UNDERLINED .					
County	Trap types*	Pools	Mosquitoes	Positives	MFIR
Atlantic	CO2, RB	25	405		
Bergen	RB	5	48		
Burlington	ULVT	34	836	1	1.196
Cape May	RB	1	1		
Cumberland	CO2, RB	7	29		
Gloucester	RB	48	755		
Middlesex	CO2, LT, RB	12	79		
Monmouth	CO2, Other	3	10		
Morris	CO2, RB	31	329		
Ocean	CO2	7	16		
Salem	CO2, Other, RB	27	94		
Sussex	CO2, RB	64	205		
TOTAL		264	2807	1	0.356

Additional County-set *Cs. melanura*: Counties maintain trap sites for *Cs. melanura* in other areas, using a variety of traps. In the previous year, 2019, 36 pools of *Cs. melanura* have been found positive. Currently, one positive pool of *Cs. melanura* has been detected in Burlington County, sampled 10 August.

Graph below indicate start times to detection of EEE in *Culiseta melanura* from 1998 to 2020. This year is the earliest collected during that time period, suggesting multiple horse cases could occur this year.

Horses and Humans: Currently, no large animals have been reported with EEE. Last year eleven horses (plus 1 deer and 1 alpaca) were reported with EEE. All equids had either an incomplete or no vaccination history. **Horse owners are urged to make sure their horses are up to date on their vaccinations. Horse cases are known to occur through October and sometimes into November (see link below).** Other sensitive species are non-native birds, such as Ostriches/Emus and Gallinaceous birds such as pheasants of Eurasian origins.



Case	Animal	Age	Sex	County	Date of Onset	Euthanized?	Vaccinated?	Comment


Horses and Vaccinations: The fate of unvaccinated equids reinforces the necessity of maintaining a vaccination schedule for arboviruses. For vaccination schedules recommended by the American Association of Equine Practices, see: http://www.aaep.org/vaccination_guidelines.htm

There are no human cases of EEE currently reported. For more information, see DOH Vectorborne Surveillance reports: <https://www.nj.gov/health/cd/statistics/arboviral-stats/>

Species other than <i>Cs. melanura</i>	Pools	Mosquitoes	Positives	MFIR
<i>Aedes abserratus</i>	11	29		
<i>Aedes albopictus</i>	318	2757		
<i>Aedes atlanticus</i>	4	4		
<i>Aedes canadensis canadensis</i>	52	866		
<i>Aedes cantator</i>	34	819		
<i>Aedes cinereus</i>	1	16		
<i>Aedes excrucians</i>	2	2		
<i>Aedes grossbecki</i>	1	4		
<i>Aedes japonicus</i>	187	883		
<i>Aedes mitchellae</i>	1	4		
<i>Aedes provocans</i>	1	1		
<i>Aedes sollicitans</i>	25	578		
<i>Aedes sticticus</i>	7	176		
<i>Aedes stimulans</i>	14	32		
<i>Aedes taeniorhynchus</i>	24	789		
<i>Aedes thibaulti</i>	1	5		
<i>Aedes triseriatus</i>	61	226		
<i>Aedes trivittatus</i>	3	30		
<i>Aedes vexans</i>	55	367		
<i>Anopheles barberi</i>	1	3		
<i>Anopheles bradleyi</i>	7	103		
<i>Anopheles crucians</i>	16	143		
<i>Anopheles punctipennis</i>	97	1020		
<i>Anopheles quadrimaculatus</i>	75	1302		
<i>Anopheles walkeri</i>	2	7		
<i>Coquillettidia perturbans</i>	154	3912		
<i>Culex erraticus</i>	82	718		
<i>Culex Mix</i>	1969	79181		
<i>Culex pipiens</i>	156	4583		
<i>Culex restuans</i>	27	512		
<i>Culex salinarius</i>	48	1326		
<i>Culiseta inornata</i>	11	48		
<i>Culiseta morsitans</i>	13	48		
<i>Orthopodomyia signifera</i>	5	6		
<i>Psorophora ciliata</i>	1	1		
<i>Psorophora columbiae</i>	13	201		
<i>Psorophora cyanescens</i>	1	5		
<i>Psorophora ferox</i>	22	113		
<i>Psorophora howardii</i>	1	1		
<i>Uranotaenia sapphirina</i>	1	2		
State Total	3504	100823		





Additional Species: 39 additional species were tested for EEE. No positive pools have been detected to date.

Overall MFIR rates, human and animal cases per county:







Culiseta melanura Populations

Coastal



Inland



Culiseta melanura populations are now reported at all sites. First positive EEE pool has been detected at Corbin City, on 17 June. All sites are reporting populations well below historical averages.

  = Positive pool(s) detected (red = melanura, purple = other species).

EEE in US (2020 cumulative cases): (Black or Red = previous + new reported cases occurring)

- equine: 16(FL) 1(MI) 3(NY) 7(SC) 2(VA) 1(WI)
- mosquito pools: 1(CT) 1(FL) 65(MA) 2(NJ)
- sentinel: 18+1duck(FL)
- human: 2(MA)

West Nile Virus Positive Organisms in US, 2020

West Nile in US (2020 cumulative cases): Single black values indicate no change from previous week. Black values / red values equals previous week/**New totals**. Note: Data reported by all states should be considered provisional and subject to change. Sources for this table can be found [here](#).

	Birds	Mosquito Pools	Sentinels	Horses*	Humans
Alabama					1
Alaska					
Arizona	89	31			4
Arkansas					1
California	81/111	675/882	21/22	2/4	10/18
Colorado		4/7			1
Connecticut		25/30			
Delaware					
Florida	15	12	40	1	3
Georgia					
Hawaii					
Idaho	0	8		0	0
Illinois	5	265/477			0
Indiana	0	8/13		0	0
Iowa					1
Kansas					2
Kentucky					
Louisiana	2	121		1	0
Maine					0
Maryland(+DC)					1
Mass.		32/48			1
Michigan	1/2	1/11			0
Minnesota					0
Mississippi		60/61			2
Missouri		0		0	1

	Birds	Mosquito Pools	Sentinels	Horses*	Humans
Montana					0
Nebraska		0		0	0
Nevada					0
New Hampshire					0
New Jersey		23/62		0	1
New Mexico					3
New York					0
North Carolina					
North Dakota					0
Ohio		189/271		0	0
Oklahoma					0
Oregon	1	0	0	0	0
Pennsylvania		8			1
Rhode Island					0
South Carolina					
South Dakota		2			2/3
Tennessee					
Texas		377/549	1		1/3
Utah					0
Vermont					0
Virginia					0
Washington	0	3/7		0	0
West Virginia					
Wisconsin					
Wyoming		1			0

* Can include other species (e.g., dogs, cows) reported positive.

Protocol: New Jersey Department of Health (NJDH Public Health Environmental and Agricultural Laboratories, PHEAL) and the Cape May County Department of Mosquito Control tests mosquito pools using RT-PCR Taqman techniques.

**Mosquito Species Submitted and Tested
for West Nile Virus through 17 August 2020**


Species	Pools	Mosquitoes	Positives	MFIR
<i>Aedes abserratus</i>	11	29		
<i>Aedes albopictus</i>	322	2855	1	0.350
<i>Aedes atlanticus</i>	4	4		
<i>Aedes canadensis canadensis</i>	52	866		
<i>Aedes cantator</i>	34	819		
<i>Aedes cinereus</i>	1	16		
<i>Aedes excrucians</i>	2	2		
<i>Aedes grossbecki</i>	1	4		
<i>Aedes japonicus</i>	190	925		
<i>Aedes mitchellae</i>	1	4		
<i>Aedes provocans</i>	1	1		
<i>Aedes sollicitans</i>	25	578		
<i>Aedes sticticus</i>	7	176		
<i>Aedes stimulans</i>	14	32		
<i>Aedes taeniorhynchus</i>	24	789		
<i>Aedes thibaulti</i>	1	5		
<i>Aedes triseriatus</i>	127	443		
<i>Aedes trivittatus</i>	3	30		
<i>Aedes vexans</i>	55	367		
<i>Anopheles barberi</i>	1	3		
<i>Anopheles bradleyi</i>	7	103		
<i>Anopheles crucians</i>	16	143		
<i>Anopheles punctipennis</i>	97	1020		
<i>Anopheles quadrimaculatus</i>	75	1302		
<i>Anopheles walkeri</i>	2	7		
<i>Coquillettidia perturbans</i>	154	3912		
<i>Culex erraticus</i>	82	718		
<i>Culex spp.</i>	1969	79181	61	0.770
<i>Culex pipiens</i>	156	4583		
<i>Culex restuans</i>	27	512		
<i>Culex salinarius</i>	48	1326		
<i>Culiseta inornata</i>	11	48		
<i>Culiseta melanura</i>	294	2982		
<i>Culiseta morsitans</i>	13	48		
<i>Orthopodomyia signifera</i>	5	6		
<i>Psorophora ciliata</i>	1	1		
<i>Psorophora columbiae</i>	13	201		
<i>Psorophora cyanescens</i>	1	5		
<i>Psorophora ferox</i>	22	113		
<i>Psorophora howardii</i>	1	1		
<i>Uranotaenia sapphirina</i>	1	2		
Grand Total	3871	104162	62	0.595

Remarks: To date 3,871 pools of 104,162 mosquitoes from 39 species have been tested. 62 positive WNV pools have been detected by RTPCR this year, 61 pools in *Culex* Mix and one pool in *Aedes albopictus* (collected in Union County 28 July). The pools were in Bergen, Burlington, Camden, Hudson, Mercer, Middlesex, Monmouth, Morris, Passaic, Somerset, Union, and Warren counties (earliest collected 30 June).

Humans, Horses and Wild Birds: No horses or wild birds have been reported infected with WNV in 2020. One human case of WNV has been reported in Essex County. Last year, eight human cases were reported. No horses were detected with WNV in 2019. See DOH reports on arbovirus activity for further information:

<https://www.nj.gov/health/cd/statistics/arboviral-stats/index.shtml>

Birds are no longer routinely tested in New Jersey.



Above is a graph showing cumulative number of positive pools for the previous 11 years, inclusive of the most active (2018) and least active (2009) years. 2020 is represented in PINK.

Go [here](#) for the table supplement of arbovirus by county by mosquito species.