

VECTOR SURVEILLANCE IN NEW JERSEY

EEE, WNV, SLE, LAC, DENV, CHIK, ZIKV, and JCV

Prepared by Lisa M. Reed and Dina Fonseca

Center for Vector Biology, Rutgers University

26 September to 2 October, 2021, CDC Week 39

Data download 4:00 am/12:30 pm 1 October



This New Jersey Agricultural Experiment Station report is supported by Rutgers University, Hatch funds, funding from the NJ State Mosquito Control Commission and with the participation of the Department of Health, Department of Agriculture and of the 21 county mosquito control agencies of New Jersey. Data is held in JerseySurv, a subset of the CalSurv system.

NOTE: County/species tables for arboviruses are now in a supplemental file [here](#)

Arbovirus Summary

- Currently, there are 891 positive WNV pools (829 pools of *Culex Mix*, *Cx. pipiens* or *Cx. restuans*, 10 pools of *Cs melanura*, 29 pools of *Ae. albopictus*, 5 pools of *Ae. japonicus* 3 pools of *Ae. triseriatus*, *Ae. vexans* and *Anopheles punctipennis* each, 2 pools of *Coquillettidia perturbans* and one pool each of *Ae. taeniorhynchus*, *Ae. trivittatus*, *An. bradleyi*, *An. quadrimaculatus*, *Cx. erraticus*, *Psorophora ciliata*, and *Ps. ferox*). Six positive birds (1 *Corvus brachyrhynchos*, 4 *Accipiter cooperii* and 1 *Falco peregrinus*) have been detected. There has been one fatal human case of WNV from Camden County with a total of 20 confirmed or probable human cases statewide).
- There are 23 positive EEE pools, 15 detected in *Cs. melanura*, 4 in *Cx. Mix*, 2 in *Culex erraticus* and one each in *Ae. taeniorhynchus* and *Ae. triseriatus*. There have been 3 EEE horse cases, 1 each in Atlantic, Camden and Cumberland County.
- There are 6 positive JCV pool, first detected in *Aedes vexans*, from Sussex County, collected 8 July. Positive pools were also detected in *Anopheles* spp. (2), *Anopheles punctipennis*, *Culex Mix*, and most recently *Aedes albopictus*. There is one human case of Jamestown Canyon virus, in Sussex County. Date of onset was May 8.
- Note: Data download times are noted and do not necessarily reflect all pools submitted and analyzed to that point in time. This report may vary from other reports from the same dataset as they are all snapshots in time.
- In 2020, there were 13 positive EEE pools in *Culiseta melanura*.
- There were 241 positive WNV pools, in *Culex Mix* (231), in *Culex pipiens* (4), *Culex restuans* (1), *Culiseta melanura* (2), *Aedes albopictus* (2), and *Aedes canadensis canadensis* (1).
- There were 6 positive JVC pools in *Aedes cantator* (2), *Aedes taeniorhynchus* (1), *Anopheles quadrimaculatus* (1) and *Coquillettidia perturbans* (2).
- There was one EEE horse case reported. There are no WNV horse cases. There were 3 human WNV cases; in Essex County (1) and Monmouth County (2). There was one WNV positive Red-tailed Hawk (*Buteo jamaicensis*) in Cumberland County (regular surveillance of birds is no longer done in NJ).

Culiseta melanura and Eastern Equine Encephalitis

SITE/Boxes	Inland or Coastal	Historic Population Mean	Current Weekly Mean	Total Tested* (Collected)	Total Pools Tested* (Submitted)	EEE Isolation Pools	MFIR
Bass River (Burlington Co.)/5	Coastal	0.64	0.00	1 (22)	1 (2)		
Green Bank (Burlington Co.)/25	Coastal	1.88	0.00	53	9		
Corbin City (Atlantic Co.)/25	Coastal	1.08	0.76	417	17		
Dennisville (Cape May Co.)/50	Coastal	3.00	0.00	108	14	2	18.519
Winslow (Camden Co.)/50	Inland	0.76	(6.00) [‡] 0.00	702	23	3	4.274
Centerton (Salem Co.)/50	Inland	2.12	0.42	259	19		
Turkey Swamp (Monmouth Co.)/50	Inland	0.62	0.28	152	13		
Glassboro (Gloucester Co.)/50	Inland	0.29	0.00	110	7		

*Current week (in parentheses) results pending. [‡] corrected from previous week NC=No Collection ND=No Data (site offline) NR=Not Recorded a=pool tested


Remarks: Currently, 23 positive EEE pools (15 in *Cs. melanura*, 4 in *Cx. Mix*, 2 in *Culex erraticus*, and one each in *Aedes taeniorhynchus* and *Ae. triseriatus*) have been detected. First detected pool of *Cs. melanura* was from a county-run site in Gloucester, sampled 30 June. Current weekly mean is for Week 38.

Statewide: 10,443 *Cs. melanura* from 578 pools have been tested, with 15 positive pools detected and an overall *Cs. melanura* MFIR of 1.436. 170,016 specimens in 5771 pools from 37 other species have also been tested with 8 positive pools detected, two in *Culex erraticus* (first non-*melanura* detection), and one each in *Aedes taeniorhynchus*, *Ae. triseriatus* and 4 in *Culex Mix*. Overall MFIR for all species statewide is 0.127.

Traditional Resting Box Sites: 1797 *Cs. melanura* from 103 pools have been tested, with 5 positive pools detected, three at Winslow in Camden County and 2 at Dennisville, Cape May County. There are 22 mosquitoes in one pool pending. The latest positive came in Winslow during week 36. Overall *Cs. melanura* MFIR at the traditional resting box site is 2.782.

		Additional <i>Cs. melanura</i> trapped by counties *traps with positives indicated in BOLD UNDERLINED .			
County	Trap types*	Pools	Mosquitoes	Positives	MFIR
Atlantic	CO2, GRA, RB	74	2038	5	2.453
Bergen	NJLT, RB	12	223		
Burlington	ULVT	54	2010	1	0.498
Camden	GRA	1	2		
Cape May	GRA, RB	43	813		
Cumberland	CO2, GRA, RB	42	322		
Gloucester	RB	89	2446	4	1.635
Middlesex	CO2, NJLT	6	18		
Monmouth	CO2, Other	4	7		
Morris	CO2, GRA, RB	36	142		
Ocean	CO2, GRA	22	90		
Salem	CO2, GRA, RB	34	211		
Sussex	CO2, GRA, RB	56	295		
Union	NJLT	1	13		
Warren	CO2	1	16		
TOTAL		475	8646	10	1.157

Additional County-set *Cs. melanura*: Counties maintain trap sites for *Cs. melanura* in other areas, using a variety of traps. First positive pools of *Cs. melanura* have been detected at a non-traditional resting box site in Gloucester County, collected 30Jun. The latest positive pools came from Gloucester County for a total of 10 positive pools from county-set sites.



Graph above indicate start times to detection of EEE in *Culiseta melanura* and associated number of horse cases from 1998 to 2020.

Horses and Humans: Last year, only 1 horse was reported with EEE, detected in September. **Horse owners are urged to make sure their horses are up to date on their vaccinations. Horse cases are known to occur through October and sometimes into November (see link below).** Other sensitive species are non-native birds, such as Ostriches/Emus and Gallinaceous birds such as pheasants of Eurasian origins.

Case	Animal	Age	Sex	County	Date of Onset			Comment
					Onset	Euthanized?	Vaccinated?	
1	horse	7	mare	Cumberland	Aug 18	Aug 19	no	https://jerseyfresh.nj.gov/agriculture/news/press/2021/approved/press210824.html
2	horse	8	mare	Atlantic	Aug 26	Aug 27	no	
3	horse	7	stallion	Camden	Aug 28	Aug 29	no	Miniature horse


Horses and Vaccinations: The fate of unvaccinated equids reinforces the necessity of maintaining a vaccination schedule for arboviruses. For vaccination schedules recommended by the American Association of Equine Practices, see: http://www.aaep.org/vaccination_guidelines.htm

There are no human cases of EEE currently reported. For more information, see DOH Vectorborne Surveillance reports:
<https://www.nj.gov/health/cd/statistics/arboviral-stats/>

Species other than <i>Cs. melanura</i>	Pools	Mosquitoes	Positives	MFIR
<i>Aedes abserratus</i>	14	118		
<i>Aedes albopictus</i>	470	4524		
<i>Aedes atlanticus</i>	16	312		
<i>Aedes aurifer</i>	5	102		
<i>Aedes canadensis canadensis</i>	87	1241		
<i>Aedes cantator</i>	41	565		
<i>Aedes cinereus</i>	3	80		
<i>Aedes grossbecki</i>	9	33		
<i>Aedes japonicus</i>	255	1399		
<i>Aedes mitchellae</i>	1	1		
<i>Aedes sollicitans</i>	25	576		
<i>Aedes sticticus</i>	15	261		
<i>Aedes stimulans</i>	6	29		
<i>Aedes taeniorhynchus</i>	38	1534	1	0.652
<i>Aedes thibaulti</i>	2	105		
<i>Aedes triseriatus</i>	63	118	1	8.475
<i>Aedes trivittatus</i>	46	1513		
<i>Aedes vexans</i>	172	5007		
<i>Anopheles</i> spp.	16	422		
<i>Anopheles bradleyi</i>	33	716		
<i>Anopheles crucians</i>	24	259		
<i>Anopheles punctipennis</i>	226	3187		
<i>Anopheles quadrimaculatus</i>	91	1548		
<i>Anopheles walkeri</i>	13	902		
<i>Coquillettidia perturbans</i>	212	6582		
<i>Culex erraticus</i>	153	2510	2	0.797
<i>Culex Mix</i>	3066	117788	4	0.034
<i>Culex pipiens</i>	391	13483		
<i>Culex restuans</i>	102	2201		
<i>Culex salinarius</i>	62	960		
<i>Culex territans</i>	1	1		
<i>Culiseta inornata</i>	18	244		
<i>Culiseta morsitans</i>	4	8		
<i>Orthopodomyia signifera</i>	3	4		
<i>Psorophora ciliata</i>	10	118		
<i>Psorophora columbiae</i>	32	754		
<i>Psorophora cyanescens</i>	1	1		
<i>Psorophora ferox</i>	42	792		
<i>Psorophora howardii</i>	3	18		
State Total	5771	170016	8	0.047


Additional Species: 37 additional species were tested for EEE. 8 positive pools in four species have been detected positive. The first included a pool of *Culex erraticus* in Atlantic County on 5 Aug. The latest positive pools were detected *Culex Mix* and *Cx. erraticus*.

Overall MFIR rates, human and animal cases per county:




Culiseta melanura Populations

Coastal



Inland



This year's surveillance season began two weeks earlier to accommodate increasing indications of earlier population emergences. To date, 5 positive pools have been detected, two at Dennisville, and three at Winslow, the latest coming in week 36. A significant population emergence occurred at Winslow on week 37, and given the past activity, will be monitored closely. The first seasonal positive pool on the state had been detected at Winslow. Adult mosquito surveillance reports at <http://vectorbio.rutgers.edu/reports/mosquito/> continue to suggest resting box collections are lower than light box collections.



= Positive pool(s) detected (red = melanura, purple = other species).

EEE in US (2021 cumulative cases): (Black or Red = previous + new reported cases occurring)

- equine: ~~1(AZ lab error)~~ 2(AK) 16(FL) 1(MD) 1(MI) 1(MN) 3(NC) 3(NJ) 4(NY) 2(SC) 1(TX) 5(WI) 1(Ontario)
- mosquito pools: 1(MD) 23(NJ) 1(TX)
- sentinel: 174(FL)
- human:

West Nile Virus Positive Organisms in US, 2021

West Nile in US (2021 cumulative cases): Single black values indicate no change from previous week. Black values / red values equals previous week/**New totals**. Note: Data reported by all states should be considered provisional and subject to change. Sources for this table can be found [here](#).

	Birds	Mosquito Pools	Sentinels	Horses*	Humans
Alabama					9
Alaska					
Arizona	118/457	12/13		3	97/164
Arkansas					1
California	192	2126	78	11	57/62
Colorado		246/282		18/20	38/94
Connecticut		154/190			3
Delaware					
Florida		7/8	56/82	1	1
Georgia					1
Hawaii					
Idaho	2	52		12	10
Illinois	24	2426/2531	0	1	24/33
Indiana	0	202/226		1	5
Iowa					2
Kansas					1
Kentucky				2/3	
Louisiana					3/11
Maine					
Maryland(+DC)		126			2
Mass.		133/143		1	7
Michigan				1	20
Minnesota				2	1
Mississippi		39		3	1/4
Missouri					2/4

	Birds	Mosquito Pools	Sentinels	Horses*	Humans
Montana					
Nebraska	0	36/37			3/4
Nevada					
New Hampshire					
New Jersey	6	861/891		0	16/20
New Mexico					9
New York					2
North Carolina					
North Dakota	1	16		2	22/26
Ohio		1219			6
Oklahoma					1/4
Oregon	2	49	0	7	1
Pennsylvania	0	76	0	1	1/5
Rhode Island					
South Carolina				1	2/41
South Dakota					4/39
Tennessee					2/3
Texas	10	1222/1330	1/5	2/3	20/25
Utah				9	1/18
Vermont					
Virginia					1
Washington			51		9/11
West Virginia					
Wisconsin					
Wyoming					

* Can include other species (e.g., dogs, cows) reported positive.

**Mosquito Species Submitted and Tested
for West Nile Virus through 1 October 2021**


Species	Pools	Mosquitoes	Positives	MFIR
<i>Aedes abserratus</i>	15	120		
<i>Aedes albopictus</i>	523	4984	29	5.819
<i>Aedes atlanticus</i>	17	321		
<i>Aedes aurifer</i>	5	102		
<i>Aedes canadensis canadensis</i>	97	1361		
<i>Aedes cantator</i>	47	722		
<i>Aedes cinereus</i>	3	80		
<i>Aedes grossbecki</i>	9	33		
<i>Aedes japonicus</i>	300	1984	5	2.520
<i>Aedes mitchellae</i>	1	1		
<i>Aedes sollicitans</i>	28	706		
<i>Aedes sticticus</i>	15	261		
<i>Aedes stimulans</i>	6	29		
<i>Aedes taeniorhynchus</i>	46	1762	1	0.568
<i>Aedes thibaulti</i>	2	105		
<i>Aedes triseriatus</i>	117	325	3	9.231
<i>Aedes trivittatus</i>	52	1529	1	0.654
<i>Aedes vexans</i>	185	5264	3	0.570
<i>Anopheles</i> spp.	18	491		
<i>Anopheles bradleyi</i>	35	841	1	1.189
<i>Anopheles crucians</i>	28	295		
<i>Anopheles punctipennis</i>	255	3713	3	0.808
<i>Anopheles quadrimaculatus</i>	101	1679	1	0.596
<i>Anopheles walkeri</i>	14	927		
<i>Coquillettidia perturbans</i>	212	6582	2	0.304
<i>Culex erraticus</i>	153	2510	1	0.398
<i>Culex</i> spp.	3555	140209	789	5.627
<i>Culex pipiens</i>	456	15387	38	2.470
<i>Culex restuans</i>	109	2258	2	0.886
<i>Culex salinarius</i>	73	1301		
<i>Culex territans</i>	1	1		
<i>Culiseta inornata</i>	19	246		
<i>Culiseta melanura</i>	578	10443	10	0.958
<i>Culiseta morsitans</i>	4	8		
<i>Orthopodomyia signifera</i>	3	4		
<i>Psorophora ciliata</i>	11	127	1	7.874
<i>Psorophora columbiae</i>	37	865		
<i>Psorophora cyanescens</i>	1	1		
<i>Psorophora ferox</i>	53	968	1	1.033
<i>Psorophora howardii</i>	4	68		
Grand Total	7188	208613	891	4.271

Remarks: To date 7188 pools of 208,613 mosquitoes from 37 species have been tested. 891 positive WNV pools (829 pools of *Culex* Mix, *Cx. pipiens* or *Cx. restuans*, 10 pools of *Cs melanura*, 29 pools of *Ae albopictus*, 5 pools of *Ae japonicus* 3 pools of *Ae. triseriatus*, *Ae. vexans* and *Anopheles punctipennis* each, 2 pools of *Coquillettidia perturbans* and

one pool each of *Ae. taeniorhynchus*, *Ae. trivittatus*, *An. bradleyi*, *An. quadrimaculatus*, *Cx. erraticus*, *Psorophora ciliata*, and *Ps. ferox*). have been identified as positive for WNV in all but Salem County. First positive detected in a pool of *Culex* Mix collected on 7 June in Somerset County. Cumulative MFIR for all mosquitoes in New Jersey is 4.271.

Humans, Horses and Wild Birds: No horses have been reported infected with WNV in 2021. 20 human cases (one fatality from Camden County, and cases also in Bergen, Burlington, Essex, Gloucester, Middlesex, Monmouth, Ocean, Passaic, and Somerset counties) has been reported to date. See DOH reports on arbovirus activity for further information: <https://www.nj.gov/health/cd/statistics/arboviral-stats/index.shtml>

Although birds are no longer routinely tested in New Jersey, 1 American Crow (*Corvus brachyrhynchos*) from Burlington County, 3 Cooper's Hawks (*Accipiter cooperii*) from Union County, 1 Cooper's Hawk from Middlesex County and 1 Peregrine Falcon (*Falco peregrinus*) from Atlantic County all tested positive for WNV..



Above is a graph showing cumulative number of positive pools for the previous 9 years, inclusive of the most active (2018) year. 2021 is represented in RED, with first positive showing on 7 June.

Go [here](#) for the table supplement of arbovirus by county by mosquito species.